



Certificate of Compliance

Certificate: 2465376

Master Contract: 154649

Project: 70109525

Date Issued: 2016-11-25

Issued to: ITW Welding Group
1635 W Spencer St
Appleton, Wisconsin 54912-1079
USA

Attention: Therese Christianson-Plato

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.



Issued by: Sam Zaffino
Sam Zaffino

PRODUCTS

CLASS - C561101 - WELDING MACHINES

CLASS - C561181 - WELDING MACHINES-Certified to US Standards

PART A: Model BOBCAT 250

Engine driven welding generator, rated as follows:

CC/AC Mode: 225A, 25V, 100% duty cycle; 250A, 25V, 60% duty cycle.

CC/DC Mode: 250A, 25V, 100% duty cycle.

CV/DC Mode: 250A, 28V, 100% duty cycle; 275A, 25V, 60% duty cycle.

Auxiliary output: 9.5kVA, 120/240V, 80/40A, 60HZ, 1ph.

PART B: Model BOBCAT 250 EFI

Engine driven welding generator, rated as follows:

CC/AC Mode: 225A, 25V, 100% duty cycle; 250A, 25V, 60% duty cycle.

CC/DC Mode: 250A, 25V, 100% duty cycle.

CV/DC Mode: 250A, 28V, 100% duty cycle; 275A, 25V, 60% duty cycle.

Auxiliary output: 10.5kVA, 120/240V, 88/44A, 60HZ, 1ph.



Certificate: 2465376
Project: 70109525

Master Contract: 154649
Date Issued: 2016-11-25

PART C: Model Bobcat 225

Engine driven welding generator, rated as follows:

CC/AC Mode: 150A, 25V, 100% duty cycle.
CC/DC Mode: 225A, 25V, 100% duty cycle.
CV/DC Mode: 200A, 20V, 100% duty cycle.
Auxiliary output: 9.5kVA, 120/240V, 80/40A, 60HZ, 1ph.

PART D: Model Bobcat 3 Phase

Engine driven welding generator, rated as follows:

CC/AC Mode: 200A, 25V, 100% duty cycle.
CC/DC Mode: 210A, 25V, 100% duty cycle.
CV/DC Mode: 200A, 20V, 100% duty cycle.
Auxiliary output: 9.5kVA, 120/240V, 80/40A, 60HZ, 1ph
Auxiliary output: 10kVA, 480V, 13A 3ph.

PART E: Model BOBCAT 250 – Diesel Fueled

Engine driven welding generator, rated as follows:

CC/AC Mode: 250A, 25V, 100% duty cycle.
CC/DC Mode: 250A, 25V, 100% duty cycle.
CV/DC Mode: 250A, 28V, 100% duty cycle; 275A, 25V, 60% duty cycle.
Auxiliary output: 9.5kVA, 120/240V, 80/40A, 60HZ, 1ph.

APPLICABLE REQUIREMENTS

- | | | |
|---|---|---|
| CSA Std. C22.2 No.60-M1990 | - | Arc Welding Equipment |
| UL Std. No. 551 7 th Edition | - | Transformer-Type Arc-Welding Machines |
| CSA Std C22.2 No. 100 | - | Motors and Generators |
| UL Std No. 558 | - | Industrial Trucks, Internal Combustion Engine Powered |



Supplement to Certificate of Compliance

Certificate: 2465376

Master Contract: 154649

*The products listed, including the latest revision described below,
are eligible to be marked in accordance with the referenced Certificate.*

Product Certification History

Project	Date	Description
70109525	2016-11-25	Update to 2465376 to cover alternate construction
2744306	2014-08-05	Update to cover alternate construction
2693782	2014-01-21	Update to cover alternate construction in part C of report
2566903	2012-10-19	Update to cover addition of similar model Bobcat 250 diesel in part E
2507300	2012-04-11	update to cover alternate construction
2465376	2011-11-16	Original evaluation of model Bobcat 250 under the CPC program